

Certificates for Paul Gauthier

Basic Information

First Name	Paul
Last Name	Gauthier
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Triangle Rock Products - Vulcan	Cameron Richardson	11501 Florin Road, Sacramento, California 95830	3	Lab 1
Vulcan Lab	Cameron Richardson	9800 Del Rd., Roseville, CA 95747	3	Lab 2
Vulcan Materials Company - Cache Creek Asphalt	Cameron Richardson	30288 HWY16, Madison, CA 95653	3	Lab 3
Vulcan Materials Company - Sacramento Regional Lab	Cameron Richardson	631 Commerce Dr Suite 100, Roseville, CA 95678	3	Lab 4

Test Methods

California Test (CT) Certifications

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-10	Expired	Shaya Meisamifard	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-10	Expired	Jasdeep Sandhu	Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-05-30	Expired	Jasdeep Sandhu	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-05-30	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-05-30	Expired	Jasdeep Sandhu	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-05-30	Expired	Jasdeep Sandhu	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-05-30	Expired	Jasdeep Sandhu	Lab 2, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-05-10	Expired	Shaya Meisamifard	Lab 2	(No comments)

Unofficial Copy