

# Certificates for Tyler Graber

## Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Tyler  |
| <b>Last Name</b>  | Graber |
| <b>Status</b>     | Active |

## Associated Labs

Total 3 items.

| Lab Name                         | Manager Name  | Full Address  | District | Page Alias |
|----------------------------------|---------------|---|----------|------------|
| G3 Quality, Inc.                 | Matthew Ramos | 13850 Cerritos Corporate Dr.,<br>Unit E, Cerritos, CA 90703 | 7        | Lab 1      |
| G3 Quality Inc. -<br>Bakersfield | Matthew Ramos | 254 E Norris Rd. Unit 5,<br>Bakersfield, CA 93308           | 6        | Lab 2      |
| G3 Quality, Inc.<br>Redlands Lab | Matthew Ramos | 25837 Business Center Dr, Suite<br>F, Redlands, CA 92374    | 8        | Lab 3      |

## Test Methods

### California Test (CT) Certifications

Total 39 items.

| Test Method   | Expiration Date | Status  | IA Responsible    | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A)             | 2025-01-28      | Active  | Soroosh Amelian   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 106 Definitions - Specific Gravity (SpG)                     | 2022-02-24      | Expired | Martiniano Ruiz   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2025-01-28      | Active  | Soroosh Amelian   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 CEM Sampling - CEM                                       | 2021-08-21      | Expired | Martiniano Ruiz   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2025-01-28      | Active  | Soroosh Amelian   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 125 HMA Sampling - HMA                                       | 2023-10-04      | Active  | Martiniano Ruiz   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible    | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-------------------|---------------------|---------------|
| CT 205 Percent Crushed Particles (JTCP - S&A)                  | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 206 SpG & Absorption - Coarse Aggregates                    | 2022-02-24      | Expired | Martiniano Ruiz   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 207 SpG & Absorption - Fine Aggregates                      | 2022-02-24      | Expired | Martiniano Ruiz   | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                            | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)    | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                            | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 229 Durability (JTCP - S&A)                                 | 2022-10-18      | Active  | Shaya Meisamifard | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope       | Comments      |
|--|-----------------|---------|-----------------|---------------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage                  | 2023-06-24      | Active  | Majid Fahrtosh  | Lab 1,<br>Lab 3           | (No comments) |
| CT 301 "R" Value   | 2022-01-26      | Expired | Martiniano Ruiz | Lab 3                     | (No comments) |
| CT 304 Sample Preparation - HMA                            | 2021-06-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2025-01-28      | Active  | Soroosh Amelian | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 308 Bulk SpG and Density - HMA                          | 2021-06-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 309 Max SpG and Density - HMA                           | 2021-06-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 366 Stabilometer  | 2021-06-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 3           | (No comments) |
| CT 367 OBC   | 2021-06-24      | Expired | Martiniano Ruiz | Lab 1                     | (No comments) |
| CT 370 Moisture Content by Microwave                       | 2021-07-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope       | Comments      |
|--|-----------------|---------|-----------------|---------------------------|---------------|
| CT 375 AC Density by Nuclear Gage                        | 2023-10-04      | Active  | Martiniano Ruiz | Lab 1,<br>Lab 3           | (No comments) |
| CT 382 AC Content by Ignition Oven                       | 2021-07-24      | Expired | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                    | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 521 Compressive Strength - PCC                        | 2023-10-04      | Active  | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)        | 2023-07-14      | Active  | Martiniano Ruiz | Lab 1,<br>Lab 2           | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC         | 2023-07-14      | Active  | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 533 Ball Penetration - PCC                            | 2023-07-14      | Active  | Martiniano Ruiz | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)              | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1,<br>Lab 2,<br>Lab 3 | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC)                 | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 541 Flow Cone   | 2021-12-01      | Expired | Martiniano Ruiz | Lab 1, Lab 3        | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1, Lab 3        | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                            | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                      | 2025-10-23      | Active  | Dalton LaBoskey | Lab 1, Lab 2, Lab 3 | (No comments) |

## AASHTO/ASTM Proficiencies

Total 8 items.

| Test Method  | Expiration Date | Status | IA Responsible  | Within Lab(s) Scope | Comments      |
|--|-----------------|--------|-----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |

| Test Method   | Expiration Date | Status | IA Responsible  | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|-----------------|---------------------|---------------|
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)                     | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)                     | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)                | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)       | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I)                     | 2025-01-28      | Active | Soroosh Amelian | Lab 1, Lab 2, Lab 3 | (No comments) |