

Certificates for Andrea Sloatermen

Basic Information

First Name	Andrea
Last Name	Sloatermen
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D02 - Susanville Field Laboratory	Andrea Sloatermen	417 Diane Drive, Susanville, CA 96130	2	Lab 1
CT D02 - Quincy Field Laboratory	Andrea Dawn Sloatermen	1555 East Main Street, Quincy, CA 95971	2	Lab 2

Test Methods

California Test (CT) Certifications

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-05-24	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-05-17	Expired	Natalie Rivinius	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-09-07	Active	Darrell Valasek	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-27	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-05-04	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-05-04	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-05-04	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-05-04	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-05-04	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-27	Active	Avinash Ralla	Lab 2	(No comments)