

Certificates for Raymond Pruitt II

Basic Information

First Name	Raymond
Last Name	Pruitt II
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Consolidated Engineering Laboratories	Wilson Ye	534 23rd Ave, Oakland, CA 94606	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-12	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-12	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-02-24	Active	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					