

Certificates for Manny Colin

Basic Information

First Name	Manny
Last Name	Colin
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery - Ponderosa	Dinesh Shrestha	9733 Ponderosa Road, Hanford, CA 93230	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-12	Expired	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-09-27	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-12	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-06-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-12	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-06-19	Active	Allen Oliver	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-09-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-09-27	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					