

Certificates for Steve Cloonan

Basic Information

First Name	Steve
Last Name	Cloonan
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants	Ruben Jimenez	8295 Aero Place, Unit 320, San Diego, CA 92123	11	Lab 1

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2021-06-17	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-06-27	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID61860
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-06-27	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID61860
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-04-13	Expired	Shaya Meisamifard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy