

Certificates for Yao Han

Basic Information

First Name	Yao
Last Name	Han
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Consolidated Engineering Laboratories	Wilson Ye	534 23rd Ave, Oakland, CA 94606	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-05-14	Active	David Small	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-05-14	Active	David Small	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-05-14	Active	David Small	Lab 1	(No comments)
CT 301 "R" Value	2023-02-24	Active	David Small	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 366 Stabilometer	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-03-31	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 382 AC Content by Ignition Oven	2023-03-31	Active	David Small	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-05-14	Active	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-08-08	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-08-08	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-08-08	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-08-08	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-08-08	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Unofficial Copy