

Certificates for Gowrisankar Udayasankar

Basic Information

First Name	Gowrisankar
Last Name	Udayasankar
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-07	Active	Shaya Meisamifard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					