

Certificates for Eric (Sonny) Fierro

Basic Information

First Name	Eric (Sonny)
Last Name	Fierro
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories	Benjamin Basquez Jr.	1572 Santa Ana Ave., Sacramento, CA 95838	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 204 LL, PL, PI	2022-05-28	Expired	Jackie Treat	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 211 LA Rattler	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-04-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 301 "R" Value	2022-05-28	Expired	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2022-02-13	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-04-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2022-12-21	Active	Maryam Shahbazi	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-05-28	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-05-28	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-12-17	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-12-17	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-12-17	Expired	Jackie Treat	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-12-17	Expired	Jackie Treat	Lab 1	(No comments)

Unofficial Copy