

Certificates for Alexander Brown

Basic Information

First Name	Alexander
Last Name	Brown
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
ENGEO, Incorporated	Donny Bryant	17278 Golden Valley Parkway, Lathrop, CA 95330	10	Lab 1

Test Methods

California Test (CT) Certifications

Total **6** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-12-13	Expired	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2020-12-13	Expired	David Small	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-12-13	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-12-13	Expired	David Small	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-12-13	Expired	David Small	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2020-12-13	Expired	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					