

## Certificates for Blake Henry

### Basic Information

<b>First Name</b>	Blake
<b>Last Name</b>	Henry
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
BSK Associates	Randy Cortez	691 North Laverne Avenue, Suite 101, Fresno, CA 93727	6	Lab 1

### Test Methods

### California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-08-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-01-24	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-01-03	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-01-03	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-08-01	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-01-24	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-01-24	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-01-24	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2022-02-16	Expired	Martiniano Ruiz	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					