

Certificates for Adrian Ornelas

Basic Information

First Name	Adrian
Last Name	Ornelas
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-11-18	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID63443

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-11-18	Expired	Robby Rodriguez	(No lab)	Created based on CT521 certificate ID63443
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-11-18	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-11-18	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-02-07	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					