

## Certificates for Shafik Saleh-Guzman

### Basic Information

|                   |              |
|-------------------|--------------|
| <b>First Name</b> | Shafik       |
| <b>Last Name</b>  | Saleh-Guzman |
| <b>Status</b>     | Active       |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 11 items.

| Test Method                      | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|----------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES | 2024-07-22      | Active | David Small    | (No lab)            | (No comments) |
| CT 125 HMA Sampling - HMA        | 2024-07-22      | Active | David Small    | (No lab)            | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage                  | 2024-08-17      | Active  | David Small    | (No lab)            | (No comments) |
| CT 375 AC Density by Nuclear Gage                          | 2024-07-22      | Active  | David Small    | (No lab)            | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)   | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                      | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                 | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                            | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                      | 2023-11-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s)<br>Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. |                 |        |                |                        |          |

Unofficial Copy