

Certificates for Loren Lee

Basic Information

First Name	Loren
Last Name	Lee
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2021-08-28	Expired	Alexis England	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-08-28	Expired	Alexis England	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-08-28	Expired	Alexis England	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-08-28	Expired	Alexis England	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-08-28	Expired	Alexis England	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-10-07	Active	Brian Ellis	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-08-28	Expired	Alexis England	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 387 Inertial Profilers	2021-08-06	Expired	Alexis England	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-08-28	Expired	Alexis England	(No lab)	Created based on CT521 certificate ID61889
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-08-28	Expired	Alexis England	(No lab)	Created based on CT521 certificate ID61889
CT 533 Ball Penetration - PCC	2021-08-28	Expired	Alexis England	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-11-15	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-10-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-10-10	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-10-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-10-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-10-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)