

## Certificates for Norman Gutierrez

### Basic Information

<b>First Name</b>	Norman
<b>Last Name</b>	Gutierrez
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Ninyo & Moore	Mark Cuthbert	5710 Ruffin Rd., San Diego, CA 92123	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 204 LL, PL, PI	2020-11-20	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 209 SpG for Soil	2020-11-20	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 301 "R" Value	2020-11-20	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-04-13	Active	Sarbjit Grewal	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					