

Certificates for Purya Ghrabeti

Basic Information

First Name	Purya
Last Name	Ghrabeti
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 BIT Sampling - BITUMINOUS	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 CEM Sampling - CEM	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 GEN Sampling - GENERAL	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 125 HMA Sampling - HMA	2025-09-26	Active	Ashley Shaw	Lab 1	Date adjusted to make a three year Cert.
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-09-06	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-08-24	Active	Ashley Shaw	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-04-18	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-01	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy