

Certificates for Justin Thomas

Basic Information

First Name	Justin
Last Name	Thomas
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-10	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/06/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-01-10	Expired	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Expired	Shaya Meisamifard	(No lab)	(No comments)