

Certificates for Michael Brooks

Basic Information

First Name	Michael
Last Name	Brooks
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sierra Pacific Materials	Michael Davis	45315 Lost Hills Road, Coalinga, CA 93210	6	Lab 1
SPM-Templeton	Michael Daivs	425 Vopli Ysabel, Paso Robles, CA 93446	5	Lab 2

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-02-11	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-02-11	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-11	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2025-05-31	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2025-05-31	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-07-22	Active	Brian Ellis	Lab 1, Lab 2	(No comments)