Certificates for Joel D'Asaro

Basic Information

First Name	Joel
Last Name	D'Asaro
Status	Active

Associated Labs

Total **3** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	8295 Aero Place, Unit 320, San Diego, CA 92123	11	Lab 2
Sequoia Consultants, Incorporated	Ruben Jimenez	3403 W. El Segundo Blvd., Hawthorne, CA 90250	7	Lab 3

Test Methods

California Test (CT) Certifications

Total **21** items.

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2027-01-17	Active	Edwin Rojas Flores	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-09-16	Active	Ashley Shaw	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-09-16	Incomplete	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-01-17	Active	Edwin Rojas Flores	Lab 1, Lab 2, Lab 3	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2024-06-13	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-26	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-11-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-11-21	Expired	Shaya Meisamifard	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-11-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-11-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-11-21	Expired	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Expired	Sarbjit Grewal	Lab 1	(No comments)

Unofficial Copy