

## Certificates for Miguel Romo

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Miguel |
| <b>Last Name</b>  | Romo   |
| <b>Status</b>     | Active |

### Associated Labs

Total 1 item.

| Lab Name                              | Manager Name | Full Address                            | District | Page Alias |
|---------------------------------------|--------------|---|----------|------------|
| Vulcan Materials Company - Pleasanton | David Ruedi  | 50 El Charro Road, Pleasanton, CA 94558 | 4        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

| Test Method   | Expiration Date | Status  | IA Responsible    | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible    | Within Lab(s) Scope | Comments  |
|---|-----------------|---------|-------------------|---------------------|---|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments)   |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments)   |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments)   |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments)   |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2022-09-20      | Expired | Shaya Meisamifard | (No lab)            | (No comments)   |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2022-09-20      | Expired | Husam Makhoul     | Lab 1               | CSP suspension on 06/03/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions |

| Test Method   | Expiration Date | Status  | IA Responsible    | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|-------------------|---------------------|---------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                         | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments) |
| CT 229 Durability (JTCP - S&A)                              | 2022-09-20      | Expired | Shaya Meisamifard | Lab 1               | (No comments) |

### AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |