

Certificates for Narcisco Garnica

Basic Information

First Name	Narcisco
Last Name	Garnica
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geocon	Jeremy Zorne	3160 Gold Valley Drive, Suite 800, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-19	Expired	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-07-11	Active	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-19	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-07-11	Active	Ed Gamboa	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					