

Certificates for Travis Zeller

Basic Information

First Name	Travis
Last Name	Zeller
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
EnGEN Corporation	Wayne Baimbridge	41625 Enterprise Circle South, Temecula, CA 92590	8	Lab 1

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-01-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2021-01-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-01-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-01-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-01-10	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2024-05-11	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					