

Certificates for Alan Whitcomb

Basic Information

First Name	Alan
Last Name	Whitcomb
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
CT D12 - Sequoia Consultants Field #2	Ruben Jimenez	33 41 21.9N 116 02 21.7W , Coachella, CA 92236	12	Lab 2

Test Methods

California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2026-12-15	Active	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2028-05-07	Active	Graham Velek	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2027-02-11	Active	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2029-05-10	Active	Sarmad Dalal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-12-13	Expired	Sarbjit Grewal	Lab 1	(No comments)