

Certificates for Michael Bowman

Basic Information

First Name	Michael
Last Name	Bowman
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
UCPRC - Berkeley	Irwin Guada	1353 South 46th Street, Building 480, Richmond, CA 94804	4	Lab 1

Test Methods

California Test (CT) Certifications

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO PP3 Rolling Wheel Compaction of HMA specimens	2020-11-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO R47(03-0H10U4) Reducing Samples of HMA (Project: 03-0H10U4)	2020-11-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO R83 Performance Test Specimens using the (SGC)	2020-12-02	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T166(03-0H10U4) Bulk SpG of Compacted HMA - SSD	2020-11-07	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2020-11-08	Expired	Ignocencio Herrera	Lab 1	(No comments)