

Certificates for Nicholas Shelly

Basic Information

First Name	Nicholas
Last Name	Shelly
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
BSK Associates	Randy Cortez	399 Lindbergh Avenue, Livermore, CA 94551	4	Lab 1
BSK Associates - Rancho Cordova	Randy Cortez	3140 Gold Camp Drive #160, Rancho Cordova, CA 95670	3	Lab 2

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-01-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-01-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 211 LA Rattler	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2023-05-05	Active	Ed Gamboa	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2023-05-05	Active	Ed Gamboa	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2023-05-05	Active	Ed Gamboa	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2024-02-05	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-05-05	Active	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-05-05	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-01-31	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-01-14	Active	Ed Gamboa	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2023-05-05	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-01-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-05-05	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T210 Aggregate Durability Index	2023-05-05	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-04-23	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2024-01-14	Active	Ed Gamboa	Lab 1	(No comments)