

Certificates for Mark Stephen

Basic Information

First Name	Mark
Last Name	Stephen
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	Suspended 6/14/2022: No Participation CT217 CSP

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)