

## Certificates for Nicholas Barnett

### Basic Information

|                   |          |
|-------------------|----------|
| <b>First Name</b> | Nicholas |
| <b>Last Name</b>  | Barnett  |
| <b>Status</b>     | Active   |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total **10** items.

| Test Method                                               | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 105 Calculations -<br>Gradings (JTCP - HMA I<br>/ S&A) | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |

| Test Method                                                     | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments                                           |
|-----------------------------------------------------------------|-----------------|---------|----------------|---------------------|----------------------------------------------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | Suspended 6/14/2022: No Participation in CT217 CSP |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments)                                      |

| Test Method                         | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 227 Cleanness Value (JTCP - S&A) | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |
| CT 229 Durability (JTCP - S&A)      | 2023-01-10      | Expired | Sarbjit Grewal | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |