

Certificates for Matthew Landin

Basic Information

First Name	Matthew
Last Name	Landin
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Koury Engineering & Testing, Inc.	Kurt Brown	14280 Euclid Avenue, Chino, CA 91710	8	Lab 1
MB Professional Services Inc	Kurt Brown	14280 Euclid Ave, Chino, CA 91710	8	Lab 2

Test Methods

California Test (CT) Certifications

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2021-02-06	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-02-14	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					