

## Certificates for Joshua Workman

### Basic Information

<b>First Name</b>	Joshua
<b>Last Name</b>	Workman
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Butte County	Todd Estes	11 County Center Drive, Oroville, CA 95965	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-02-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-04-26	Active	Darrell Valasek	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2025-04-26	Active	Darrell Valasek	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-01-25	Active	Jackie Treat	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-01	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-04-26	Active	Darrell Valasek	Lab 1	(No comments)

Unofficial Copy