

Certificates for Michael Albaiady

Basic Information

First Name	Michael
Last Name	Albaidy
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 1
MB Professional Services, Incorporated	Vance Olsen	786 South Gifford Ave, San Bernardino, CA 92408	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-02-08	Active	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2021-03-16	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 541 Flow Cone	2025-02-08	Active	Robby Rodriguez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-04-21	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					