

Certificates for Federico Ayala

Basic Information

First Name	Federico
Last Name	Ayala
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Inc.	David Ryan	17782 Georgetown Ln., Huntington Beach, CA 92647	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-03-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-03-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2021-03-16	Expired	Ashley Shaw	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-01-12	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy