

Certificates for Christian R. Linares

Basic Information

First Name	Christian R.
Last Name	Linares
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-05-13	Expired	Robby Rodriguez	Lab 1, Lab 2	Created based on CT521 certificate ID66825
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-05-13	Expired	Robby Rodriguez	Lab 1, Lab 2	Created based on CT521 certificate ID66825
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-13	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-05-13	Expired	Robby Rodriguez	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					