

Certificates for Ricky Arrieta

Basic Information

First Name	Ricky
Last Name	Arrieta
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-01-29	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID65353

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-01-29	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID65353
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-01-29	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-01-29	Expired	Ashley Shaw	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					