Certificates for Jay Horton

Basic Information

First Name	Jay
Last Name	Horton
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT HQ - Aggregate Laboratory	John O'Mara	5900 Folsom Boulevard, Sacramento, CA 95819	59	Lab 1

Test Methods

California Test (CT) Certifications

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 211 LA Rattler	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 213 Organic Impurities of PCC sand	2023-04-06	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2023-04-06	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-01-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-04-06	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2025-02-14	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)

Unofficial Copy

AASHTO/ASTM Proficiencies

Total **14** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-03-01	Expired	Maryam Shahbazi	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2023-04-06	Expired	Maryam Shahbazi	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-04-11	Expired	Maryam Shahbazi	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-02-14	Active	Ignocencio Herrera	Lab 1	(No comments)

Unofficial Copy