

## Certificates for Angel Chavez

### Basic Information

<b>First Name</b>	Angel
<b>Last Name</b>	Chavez
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Kern	Nathan Hevle	4233 Foster Avenue, Bakersfield, CA 93308	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2024-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-06-17	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2025-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2025-07-18	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 211 LA Rattler	2025-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-11-05	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-05-17	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 301 "R" Value	2025-04-10	Active	Allen Oliver	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-02-14	Active	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID81819
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-02-14	Active	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID81819
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-04-29	Active	Dalton LaBoskey	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					