

## Certificates for Jose Oandason

### Basic Information

<b>First Name</b>	Jose
<b>Last Name</b>	Oandason
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-12-12	Expired	Jackie Treat	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					