

Certificates for Julio Navarro

Basic Information

First Name	Julio
Last Name	Navarro
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder-Hayward	Aaron Kidd	2601 Barrington Court, Hayward, CA 94545	4	Lab 1
Kleinfelder - Pittsburg	Joe Ochoa	981 Garcia Ave. Suite A, Pittsburg, CA 94565	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2022-09-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2022-09-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-14	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2022-09-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2022-09-17	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-09-17	Active	Ed Gamboa	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-09-17	Active	Ed Gamboa	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-11-18	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					