

Certificates for Peter Manchester

Basic Information

First Name	Peter
Last Name	Manchester
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-03-10	Expired	David Small	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-04-05	Active	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2022-03-10	Expired	David Small	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2022-03-10	Expired	David Small	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-03-10	Expired	David Small	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-04-05	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-04-21	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2023-04-21	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-21	Expired	Dalton LaBoskey	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					