

Certificates for Paul Pastora

Basic Information

First Name	Paul
Last Name	Pastora
Status	Active

Associated Labs

Total 6 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 2
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Mobile Laboratory #11	Ray Alcantara	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 5
RMA Mobile Laboratory #12	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 6

Test Methods

California Test (CT) Certifications

Total **26** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 GEN Sampling - GENERAL	2021-07-02	Expired	Majid Fahrtoosh	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-07-02	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-16	Incomplete	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-14	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-06-07	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-06-07	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 6	Created based on CT521 certificate ID67314
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-06-07	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 6	Created based on CT521 certificate ID67314
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-11-16	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-06-07	Expired	Rabiul Hyder	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-06-07	Expired	Rabiul Hyder	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 533 Ball Penetration - PCC	2024-06-07	Expired	Rabiul Hyder	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2024-11-16	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					