

## Certificates for Mahmoud Jamil

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Mahmoud |
| <b>Last Name</b>  | Jamil   |
| <b>Status</b>     | Active  |

### Associated Labs

| Lab Name          | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. |                      |              |                  |            |

### Test Methods

#### California Test (CT) Certifications

Total 7 items.

| Test Method                                              | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|----------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC)                    | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |

| Test Method                                                | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                 | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC)                            | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC)                      | 2021-09-17      | Expired | Jackie Treat   | (No lab)            | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method       | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. |                 |        |                |                     |          |