

Certificates for Wakil Khatibi

Basic Information

First Name	Wakil
Last Name	Khatibi
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Construction Testing Services - Rocklin	Manvir Chahal	4400 Yankee Hill Road, Rocklin, CA 95677	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2023-05-20	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2023-05-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-05-20	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-07-21	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-07-21	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-05-20	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					