

## Certificates for Emad Salah

### Basic Information

<b>First Name</b>	Emad
<b>Last Name</b>	Salah
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas Technical Consultants	Jason Zimmerman	1775 Park Street, Building 84, Selma, CA 93662	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2021-12-17	Expired	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2021-12-17	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2021-12-17	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-12-17	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-12-17	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-08-25	Expired	Sarbjit Grewal	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy