

Certificates for Alex Long

Basic Information

First Name	Alex
Last Name	Long
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Pavement Engineering, Inc.	Craig Long	20260 Skypark Drive, Redding, CA 96002	2	Lab 1
Pavement Engineering Inc.	Jonathan Edholm	3680 Industrial Blvd. Suite 400, West Sacramento, CA 95690	3	Lab 2

Test Methods

California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2022-12-15	Active	Husam Makhoul	Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-02-25	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2022-12-15	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2023-02-25	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-06-10	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2023-02-25	Active	Loren Lee	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2024-01-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-25	Active	Loren Lee	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-02-25	Active	Loren Lee	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2022-12-15	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-05-21	Active	Alexis England	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-12-15	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2022-12-15	Active	Husam Makhoul	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2026-05-21	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy