# Certificates for Jeremy Laniksmith

## Basic Information

| | |
|---|---|
| **First Name** | Jeremy |
| **Last Name** | Laniksmith |
| **Status** | Active |

## Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|---|---|---|---|---|
| No results found. | | | | |

## Test Methods

### California Test (CT) Certifications

Total **7** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |

Unofficial Copy

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2023-02-24 | Expired | Sarbjit Grewal | (No lab) | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| No results found. | | | | | |

Unofficial Copy