

## Certificates for Bryant Muldoon

### Basic Information

<b>First Name</b>	Bryant
<b>Last Name</b>	Muldoon
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67119
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67119

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					