

Certificates for Bryant Muldoon

Basic Information

First Name	Bryant
Last Name	Muldoon
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67119
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67119

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					