

Certificates for Robert Cowdrey

Basic Information

First Name	Robert
Last Name	Cowdrey
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
----------	----------------------	--------------	------------------	------------

No results found.

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-06-18	Expired	Loren Lee	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67126
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-06-18	Expired	Loren Lee	(No lab)	Created based on CT521 certificate ID67126

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					