

## Certificates for Adam H. Wohletz

### Basic Information

|                   |         |
|-------------------|---------|
| <b>First Name</b> | Adam H. |
| <b>Last Name</b>  | Wohletz |
| <b>Status</b>     | Active  |

### Associated Labs

Total 2 items.

| Lab Name         | Manager Name   | Full Address                                  | District | Page Alias |
|------------------|----------------|---|----------|------------|
| Kleinfelder Inc. | Jarod Slinkard | 9969 Horn Rd., Sacramento, CA<br>95827        | 3        | Lab 1      |
| Kleinfelder Inc. | Breanna Debler | 2001 Arch Airport Road, Stockton, CA<br>95203 | 10       | Lab 2      |

### Test Methods

#### California Test (CT) Certifications

Total 14 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|             |                 |        |                |                     |          |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2021-06-30      | Expired | Jackie Treat   | Lab 1, Lab 2        | (No comments) |
| CT 125 AGG Sampling - AGGREGATES                      | 2022-09-20      | Active  | Ed Gamboa      | (No lab)            | (No comments) |
| CT 125 GEN Sampling - GENERAL                         | 2021-06-30      | Expired | Jackie Treat   | Lab 1, Lab 2        | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)              | 2021-06-30      | Expired | Jackie Treat   | Lab 1, Lab 2        | (No comments) |
| CT 125 HMA Sampling - HMA                             | 2022-09-20      | Active  | Ed Gamboa      | (No lab)            | (No comments) |
| CT 204 LL, PL, PI                                     | 2022-09-16      | Active  | Ed Gamboa      | Lab 2               | (No comments) |
| CT 213 Organic Impurities of PCC sand                 | 2022-09-20      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage             | 2022-09-21      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |
| CT 375 AC Density by Nuclear Gage                     | 2022-09-20      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |
| CT 521 Compressive Strength - PCC                     | 2022-09-21      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2021-07-15      | Expired | Jackie Treat   | Lab 1, Lab 2        | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)                             | 2022-09-20      | Active  | Ed Gamboa      | (No lab)            | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC                              | 2022-09-20      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |
| CT 533 Ball Penetration - PCC   | 2022-09-20      | Active  | Ed Gamboa      | Lab 1, Lab 2        | (No comments) |

## AASHTO/ASTM Proficiencies

Total 8 items.

| Test Method                                     | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T84 SpG & Absorption - Fine Aggregates   | 2022-09-20      | Active  | Ed Gamboa      | Lab 1               | (No comments) |
| AASHTO T85 SpG & Absorption - Coarse Aggregates | 2022-09-20      | Active  | Ed Gamboa      | Lab 1               | (No comments) |
| AASHTO T96 L.A. Rattler                         | 2021-07-15      | Expired | Jackie Treat   | Lab 1               | (No comments) |

| Test Method  | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)  | 2025-01-13      | Active | Sarbjit Grewal | Lab 1               | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)        | 2025-01-13      | Active | Sarbjit Grewal | Lab 1               | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)          | 2025-01-13      | Active | Sarbjit Grewal | Lab 1               | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                   | 2025-01-13      | Active | Sarbjit Grewal | (No lab)            | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2025-01-13      | Active | Sarbjit Grewal | Lab 1               | (No comments) |