

Certificates for Cassidy Bertsch

Basic Information

First Name	Cassidy
Last Name	Bertsch
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Construction Testing Services - Rocklin	Manvir Chahal	4400 Yankee Hill Road, Rocklin, CA 95677	3	Lab 1
Construction Testing Services	Daniel Ventura	2118 Rheem Drive, Pleasanton, CA 94588	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2023-06-25	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2023-06-25	Expired	Ignocencio Herrera	Lab 2	(No comments)
CT 233 Gamma-Gamma Test	2024-09-29	Active	David Small	Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2023-06-25	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2023-06-25	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-05-20	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-06-25	Expired	Ignocencio Herrera	Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-06-25	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-03-12	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					