

Certificates for Joseph Huynh

Basic Information

First Name	Joseph
Last Name	Huynh
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GMU Geotechnical, Incorporated	Mike Moscrop	30336 Esperanza, Rancho Santa Margarita, CA 92688	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-08-03	Active	Rabiul Hyder	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-08-03	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-10-09	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2022-06-17	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					